

No. AJD201302668

Date: MAY.21, 2013

Page 1 of 5

PARFAME ENTERPRISE CO., LTD

7F, NO.64, TA CHENG STREET, TAIPEI, TAIWAN

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description: T6769 (#21014 WITH FLAME RESISTANCE)

Type/Style: T6769

Composition: 100% PES

Test Requested:

To determine the flammability (building materials class B1) in accordance with DIN 4102-1 (May 1998) Fire behaviour of building materials and elements Part 1: Classification of building materials, Requirements and testing

Test Results: -- See attached sheet --

Conclusion:

The tested sample meets the low flammability requirements of class B1 of building materials under DIN 4102-1 (May 1998).

Test Period:

Sample Receiving Date

: MAY.07, 2013

Test Performing Date

: MAY.07, 2013 TO MAY.20, 2013

Signed for and on behalf of SGS-CSTC Co., Ltd.

Allen Zou

Technical Supervisor

oods Laboratory.



No. AJD201302668

Date: MAY.21, 2013

Page 2 of 5

I. Test conducted

This test was conducted as per DIN 4102-15:1990 DIN 4102-16:1998 and DIN 4102-1:1998 Clause 6.2. Classification in according to DIN 4102-1 (May 1998) Clause 6.1-Class B1 materials

II. Sample details

Name	T6769 (#21014 WITH FLAME RESISTANCE)
Density / Color	162g/m ² / Black
Size of sample	1000mmx190mm; 250mmx90mm

Conditioning

Prior to testing, the sample was conditioned at least 14 days to constant mass at a temperature of 23 \pm 2 $^{\circ}$ C, and a relative humidity of 50 \pm 6 $^{\circ}$ C.

III. Test results

1) "Brandschacht" Test according to DIN 4102-15 &16

Exposed surface: The Front face

Results of "Brandschacht" Test (part 1)							
Line		Unit	Test assemblies No.				
No.		Offic	Lengthwise	Widthwise			
1	Specimen fixings according to DIN 4102 part 15, table	/	1	1			
2	Max. flame height above lower sample edge;	cm	30	30			
3	Time 1)	min:s	0:13	0:11			
	Melting/burning through						
4	Time 1)	min:s	0:02	0:02			
	Back of specimen						
5	Flaming/glowing, Time 1)	min:s	0:02	0:02			
6	Discolouring, Time 1)	min:s	0:01	0:01			
	Burning droplets						
7	Begin 1)	min:s	0:04	0:03			
	<u>Amount</u>						
8	Specimen material falling off in separate droplets						
9	Specimen material falling off continuously		\checkmark	\checkmark			

To be continued...

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions. http://www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability requestion and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its independent of the company is sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their this and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. And thousehorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the esults shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

| No.301, Yangguang Avenue, District 2, Sunlight Industrial Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.cn.sgs.com



No. AJD201302668

Date: MAY.21, 2013

Page 3 of 5

Results of "Brandschacht" Test (part 2)						
Line		Unit	Test assemblies No.			
No.		Offic	Lengthwise	Widthwise		
	Burning parts		No	No		
10	Begin 1)	min:s	/	/		
11	Parts of sample falling off separately		/	/		
12	Parts of sample falling off continuously		/	/		
13	Duration of continued combustion on mesh base (max.)	min:s	No	No		
	Burner flame impairment by dripping/falling material		No	No		
14	Time 1)	min:s	/	/		
	Premature ending of test		/	/		
15	End of burning at specimen 1)	min:s	/	/		
16	Time when test terminated (if applicable) 1)	min:s	/	/		
	Burning after end of test		No	No		
17	Duration	min:s	/	/		
18	Number of specimens		/	/		
19	Front of specimen		/	/		
20	Back of specimen		/	/		
21	Height of flame	cm	/	/		
	Glowing after end of test		No	No		
22	Duration	min:s	/	/		
23	Number of specimens		/	/		
24	Front of specimen		/	/		
25	Back of specimen		/	/		
26	Top half of specimen		/	/		
27	Bottom half of specimen		/	/		

To be continued...

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability to the subject of the subject of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only show thin the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exported experted the subject of the company. Any finauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless other appearance of the sample(s) tested and such sample(s) are retained for 30 days only.

ndards Technicas Co., Ltd. No.301,Yangguang Avenue,District 2, Sunlight Industrial Zone,Anji County, Zhejiang Province,China 313300 t (86-572) 5018825 f (86-572) 5018829 www.cn.s.gs.com 中国・浙江・安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com



No. AJD201302668

Date: MAY.21, 2013

Page 4 of 5

Results of "Brandschacht" Test (part 3)							
Line		Unit	Test assemblies No.				
No.		Offic	Lengthwise		Widthwise		
	Residual length						
28	Single results	cm	73	72	72	73	
20 Single results	Single results	Cili	72	73	73	74	
29	Average of the single results	cm	72.5		73		
	Smoke temperature						
30	Max. of average	${\mathbb C}$	167		169		
31	Time 1)	min:s	10:00		10:00		

Note: 1) time from start of testing

2) Normal Flammability Test according to DIN 4102-1 Clause 6.2

<u>Flame application:</u> [$\sqrt{\ }$] bottom edge ignition, [

] surface ignition

[$\sqrt{\ }$] Lengthwise (if applicable)

[
Specimen No.	1	2	3	4	5
Reaching the measuring mark within 20 seconds	No	No	No	No	No
Self extinguishing of the flame (s)		15	15	15	15
Max. flame height (cm)	6	6	5	7	8
End of afterflaming (s)	15	15	15	15	15
End of afterglowing (s)	15	15	15	15	15
Molten dripping	No	No	No	No	No
Smoke developments (visual impression)	Slight				

√ 1 Widthwise (if applicable)

[
1	2	3	4	5	
No	No	No	No	No	
15	15	15	15	15	
6	8	7	6	6	
15	15	15	15	15	
15	15	15	15	15	
No	No	No	No	No	
Slight					
	15 6 15 15	No No 15 15 6 8 15 15 15 15 15	No No No 15 15 15 6 8 7 15 15 15 15 15 15 No No No	No No No No 15 15 15 15 6 8 7 6 15 15 15 15 15 15 15 15 No No No No	

To be continued...

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and in the limitation of liability indeptions and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its indeption only any within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction for exercising all their only and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any inauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ulbss otherwise the desired and such sample(s) are retained for 30 days only.

| No.301, Yangguang Avenue, District 2, Sunlight Industrial Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.cn.sgs.com | 中国・浙江・安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com



No. AJD201302668

Date: MAY.21, 2013

Page 5 of 5

All timings are from start of testing

Criteria for classification for Class B1 (DIN 4102-1 Clause 6.1.2)

All materials, except flooring, may be classed as B1 materials if they met,

a) Pass DIN 4102-16 "brandschacht" test if

oods Laboratory.

- 1) The mean value for the residual length of each specimen is at least 15 cm, and no individual values are lower than 0 cm;
- 2) The mean effluent temperature does not exceed 200°C in any test;
- 3) The requirement for the residual length of each specimen is met even where there is afterflame, afterglow, or smouldering.
- b) Pass DIN 4102-1 Clause 6.2.3 Ignitability Test if, For each specimen, flaming doesn't reach the gage mark within 20s after flame application.

STATEMENTS:

This test report does not replace any mandatory certification of the product that may be required.

The test results relate to the behaviour of the test specimens of a product under the particular conditions of the test; they are not intended to be the sole criterion for assessing the potential fire and smoke hazard of the product in use.

Photo Appendix:



End of Report

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at httm.and.for electronic format documents,subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation liability interpretation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time is into each into any state of the state of

es Co., Ltd. No.301, Yangguang Avenue, District 2, Sunlight Industrial Zone, Anji County, Zhejiang Province, China 313300 t (86–572) 5018825 f (86–572) 5018829 中国・浙江・安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com